TRINITY TAPES

TRINITY TAPES PVT. LTD.

171, Lakhanpur, Vikas Nagar,
Kanpur-208024,
Uttarpradesh, India

tapes@trinity-tapes.com
+91 7522 20 1280
www.trinity-tapes.com

MADE IN INDIA

TRINITY TAPES

TAPES FOR FOOTWEAR & ACCESSORIES REINFORCEMENT

TRINITY TAPES

Content

Page - 01 About Us

Page - 02 Product Range

Page - 03 to 16 Reinforcement Tapes

Page - 17 Pre-cut Reinforcements

Page - 18 Foam Tape

Page - 19 to 20 Sustainable Packaging



About Us

With over 34 years of experience, Trinity Tapes has become a leader in the adhesive tape industry, delivering innovative solutions for footwear, leather goods and sustainable packaging. Our unwavering commitment to quality and precision has earned us the trust of businesses worldwide.

Trinity Tapes specializes in high-performance reinforcement and protective tapes that provide strength, durability, and consistency for a wide range of applications. We pride ourselves on developing cutting-edge products to meet the most demanding industry needs, ensuring superior performance and customer satisfaction.

Mission

Our mission is to consistently innovate adhesive tape solutions that enhance the efficiency, durability, and design of our clients' products. We strive to simplify processes, improve outcomes, and create value for every client.

By leveraging decades of experience and a customer-centric approach, Trinity Tapes is committed to exceeding expectations and setting new industry benchmarks.

Product Range

01 Reinforcement Tapes

Innovative Tapes for highest precision in Reinforcements.

- Footwear Reinforcement Tapes
- Leather Goods Reinforcement Tapes

02 Pre-cut Reinforcements

Hassle free Pre Cut Adhesive Reinforcements.



- Justpeil

03 Foam Tape

Special reinforcement tape for enhance strength and longevity

- EVA & PE Foam

04 Sustainable Packaging

Packaging Solutions That Are Both Functional And Sustainable, Reducing Our Reliance On Plastics.

- Reinforced Kraft Paper Tape
- Kraft Paper Self Adhesive Tape

01 Reinforcement Tapes

TRINITY TAPES

Synthetic Fabric Tape

Synthetic tape is a medium weight synthetic cloth tape. Used for general purpose shoe upper reinforcement. Available with adhesive options single side & both sides.

Performance	Stopper	1 S	2 S
Adhesive	No	Single Side	Double Side
Thickness	0.18 mm	0.19 mm	0.22 mm
Breaking strength	> 24 kgf	> 40 kgf	> 40 kgf
Elongation at break	> 30%	> 30%	> 30%
Properties			
Adhesive strength	Nil	Good	Good
Flexibility of the tape	Good	Good	Good
Roll Details			
Width possible	8 to 1000 mm	5 to 1000 mm	5 to 1000 mm
Standard length	20 m	25/50 m	20 m
Colour			
Available shade	White, Black	Beige, White, Black, Brown	White

Application Area

*With release paper variant also available.

TRINITY TAPES

Cotton Tape

Cotton tape used as a lightweight reinforcement for back, front, and side seams in footwear and accessories. This tape is coated with adhesive used for joint reinforcement.

Performance	1 S	2 S
Adhesive	Single Side	Double Side
Thickness	0.25 mm	0.30 mm
Breaking strength	> 20 kgf	> 18 kgf
Elongation at break	> 12%	> 12%
Properties		
Adhesive strength	Good	Good
Flexibility of the tape	Good	Good
Roll Details		
Width possible	5 to 1000 mm	5 to 1000 mm
Standard length	50 m	20 m
Colour		
Available shade	White, Black	White, Black

Application Area

*With release paper variant also available.

01 Reinforcement Tapes

TRINITY TAPES

Non Woven Eyelet Stay Tape

Non Woven fabric tape coated with adhesive used for reinforcement of throats, eyelets, straps etc. Non Woven tape a continuous filament UV stabilized and Thermally bonded tape that is extremely strong in both directions. It also has very low stretch and will provide a degree of stiffness where required. Also known as Eyelet tape, is used for back and side straps.

Performance	Economy	Regular
Adhesive	Single side with paper	Single side with paper
Thickness	0.4 mm	0.45 mm
Breaking strength	> 12 kgf	> 15 kgf
Elongation at break	> 40%	> 50%
Properties		
Adhesive strength	Good	Good
Flexibility of the tape	Moderate	Moderate
Roll Details		
Width possible	5 to 1020 mm	5 to 1020 mm
Standard length	20 m	20 m
Colour		
Available shade	Grey	Grey

Application Area

TRINITY TAPES

Top Line Tape

Customized fabric coated with adhesive for reinforcement of Topline and Stripping. These are essential for reinforcing the throat curves. They ensure a good shape, control length, and eliminate over-stretching and distortion. These tapes are engineered to provide strength and reinforcement for consistent top line construction that can withstand the aging test.

Performance	Top Line Regular
Adhesive	Single side
Thickness	0.45 mm
Breaking strength	> 30 kgf
Elongation at break	> 50%
Properties	
Adhesive strength	Very Good
Flexibility of the tape	Very Good
Roll Details	
Width possible	3 to 1000 mm
Standard length	20/50 m
Colour	
Available shade	White, Black

Application Area



01 Reinforcement Tapes

TRINITY TAPES

Masking Tape

Masking tapes from Trinity adhere well, resist solvents or water from the paint/chemicals, and are strong enough to hold small loads, yet remove cleanly without damaging the surface. The backing crepe paper conforms to curved and irregular surfaces. The tape hand tears for easy application.

Performance	Regular	Premium
Adhesive	Water base	Natural rubber base
Thickness	0.12 mm	0.15 mm
Breaking strength	> 4.5 kgf	> 5.5 kgf
Elongation at break	17%	10%
Properties		
Adhesive strength	980 gms/25 mm	850 gms/25 mm
Flexibility of the tape	Good	Good
Roll Details		
Width possible	8 to 1500 mm	8 to 1500 mm
Standard length	45 m	45 m
Colour		
Available shade	Nat	Nat

Application Area

TRINITY TAPES

Back Seam Tape

Knitted fabric coated with adhesive for reinforcement of back seam in shoes. Seam tapes create a more stable area to run stitching through. When large pieces of leather are put together, strong seam reinforcement is crucial. For front seams, back seams, or side seams, we offer different strengths of tape to meet a range of needs.

Performance	Regular
Adhesive	One side
Thickness	0.32 mm
Breaking strength	> 10 kgf
Elongation at break	> 40%
Properties	
Adhesive strength	Good
Flexibility of the tape	Good
Roll Details	
Width possible	1 5 to 1000 mm
Standard length	20 m
Colour	
Available shade	White Black

Application Area

01 Reinforcement Tapes

TRINITY TAPES

Technical Textile

Tape made with custom technical textile yarn in shoe making for reinforcing shoe leathers and uppers, securing back seams, stabilizing cut portions and upper edges, and fitting and flattening machines. It works well on the toe, vamp lining, and strap reinforcement.

Performance	SINEW	SPL. SYN
Adhesive	Single Side	Single side
Thickness	0.12 mm	0.21 mm
Breaking strength	> 30 kgs	>40 Kgs
Elongation at break	>40%	>30%
Properties		
Adhesive strength	Very good	Very good
Flexibility of the tape	Good	Good
Tear Strength	80 N	150 N
Roll Details		
Width possible	5 to 1000 mm	5 to 1000 mm
Standard length	50 m	20 m

Colour

Available shade





Application Area

*With release paper variant also available.

TRINITY TAPES

Woven Top Line Tape

Woven top line fabric used for stronger reinforcement of shoe neck.

Performance	Plain	Centre line
Adhesive	Non glue	Non glue
Thickness	0.330 mm	0.330 mm
Breaking strength	>60 kgf	>60 kgf
Elongation at break	> 25%	> 25%
Properties		
Adhesive strength	NA	Na
Flexibility of the tape	Good	Good
Roll Details		
Width possible	1.8 mm to 5 mm	1.8 mm to 5 mm
Standard length	500/750 m	500/750 m

Colour

Available shade

Application Area

01 Reinforcement Tapes

TRINITY TAPES

Double Side Tissue Tape

Double Side Tissue tape are used in a variety of general purpose applications like holding, fixing, and reinforcing, as well applications needing firmness. These double sided tapes are used to hold materials together prior to the stitching process and increase speed and accuracy during stitching.

Performance	Std	Reg	Pre
Adhesive	Both side with paper	Both side with paper	Both side with paper
Thickness	0.08 mm	0.09 mm	0.12 mm
Breaking strength	> 4 kgf	> 4 kgf	> 4 kgf
Elongation at break	> 4%	> 4%	> 4%
Properties			
Adhesive strength	Good	Very good	Strong
Flexibility of the tape	Good	Good	Good
Roll Details			
Width possible	3 to 1240 mm	3 to 1240 mm	3 to 1000 mm
Standard length	50 m	27 m	27/50 m
Colour			
Available shade	White	White	White

Application Area

*Both side paper variant also available.

TRINITY TAPES

Red Tape

Red double-sided acrylic adhesive tape with PET-film backing. RED DST is designed for high performance splicing applications requiring temperature resistance and excellent bonding strength to low surface energy substrates. The product is equipped with a two side FC coated PET liner for easy application.

Performance	DS Red
Adhesive	Acrylic
Thickness	195 µm
Temperature resistance	max. 176 °C
Elongation at break	110 %
Properties	
Backing material	PET film
Thickness of film	23 µm
Roll Details	
Width possible	3 to 1000 mm
Standard length	25 m
Colour	
Available shade	Red

Application Area

01 Reinforcement Tapes

TRINITY TAPES

Nylon Tape

Nylon tape is made from a strong, durable, and flexible nylon fabric coated with adhesive. It is used in the shoe industry to reinforce and stabilize parts of shoes, such as the leather upper and the back seam. Nylon tape is especially useful for toe, vamp lining, and strap reinforcement.

Performance	Regular	Premium
Adhesive	Single Side	Single side
Thickness	0.15 mm	0.21 mm
Breaking strength	>60 Kgs	>60 Kgs
Elongation at break	>30%	>30%
Properties		
Adhesive strength	Good	Good
Flexibility of the tape	Good	Average
Tear Strength	30 N	50 N
Roll Details		
Width possible	5 to 1000 mm	5 to 1000 mm
Standard length	20/50 m	20/50 m

Colour

Available shade

Application Area

*With release paper variant also available.

TRINITY TAPES

Kiemlon

KIEMLON Nonwoven Self-Adhesive is a high-quality nonwoven material made from Polypropylene (PP), designed for structural support and backing applications. It offers excellent ease of use, uniform gluing, and is available in a convenient self-adhesive version.

Performance	BEIGE-60	BLACK-70	WHITE-90
Adhesive	One side with paper	One side with paper	One side with paper
Thickness	0.35 mm	0.36 mm	0.40 mm
Properties			
Adhesive strength	Very good	Good	Strong
Flexibility of the tape	Good	Good	Good
Roll Details			
Width possible	800 mm	800 mm	800 mm
Standard length	100 m	100 m	100 m

Colour

Available shade

*Special colour available on request

01 Reinforcement Tapes

TRINITY TAPES

Seam Sealing Tape

WATERPROOF SEAM SEALING TAPE for Outdoor footwear. Its provides enhanced durability, water resistance, and protection against harsh conditions ideal for safety footwear in demanding environments.

Performance	TRNSS22
Adhesive	Nylon+TPU+ PU
Thickness	0.35 mm
Hardness	70±3A
Softening Point	105°C±S°C

Processing mode

Temperature	480-580°C
Speed	6-8m/min
Pressure	1.5-2.5 kg/cm2

Roll Details

Width possible	20 mm and above
Standard length	100 m

Colour

Available shade

White

Other Features



Hydrostatic Test

Water Repellent

TRINITY TAPES

Gripflex

GRIPFLEX is a specialized reinforcement tape designed to enhance the strength and longevity of straps and belts. With its self-adhesive backing, GRIPFLEX ensures perfect placement while delivering superior load-bearing capacity and minimal stretch for maximum reliability.

Performance	GRIPFLEX			
Adhesive	Synthetic Rubber based PSA			
Thickness	4 mm	6 mm	8 mm	10 mm
Breaking strength	24 KG	34 KG	40 KG	50 KG

Roll Details

Width possible	.46 to 0.5 mm
Standard length	100 m

Colour

Available shade

White

Application Area

02 Pre-cut Reinforcements

Just peil

Pre cut shapes for exact positioning and curved edges.



Performance	Just Peil
Adhesive	One side with Paper
Thickness	0.18mm
Breaking strength	> 40kgf
Elongation at break	> 30%

Properties

Adhesive strength	Good
Flexibility	Good

Colour

Available shade

Black White

Application Area



*Custom shapes also available

03 Foam Tape

EVA & PE Foam

Trinity's premium self-adhesive foam tapes are designed for versatile applications across industries. These tapes are available in EVA (Ethylene Vinyl Acetate) and PE (Polyethylene) foam, with single-sided and double-sided adhesive options



Performance	Single Sided	Double Sided
Foam Material	EVA / PE	EVA / PE
Adhesive Type	Acrylic / Rubber-based	Acrylic / Rubber-based
Thickness Range	0.3, 0.5, 1, 2, 3 mm	0.3, 0.5, 1, 2, 3 mm

Benefits

- Strong adhesive backing for secure bonding
- Excellent resistance to environmental factors
- Shock absorption, vibration dampening and insulation properties
- Easy to cut and apply
- Suitable for both indoor and outdoor applications

Colour

Available shade

White Black

White Black

Application Area

TRINITY TAPES

Reinforced Kraft Paper Tape

Reinforced Kraft Paper Tape is a strong and durable adhesive tape made of kraft paper and reinforced with glass filament yarn. It is used for sealing and reinforcing corrugated cardboard boxes and other packaging materials. When applied to a carton, it forms a bond virtually impossible to remove or break without damaging the packaging. This makes it ideal for use in shipping, warehousing, and other logistics applications where the integrity of the packaging is critical.

Performance	Water Activated	Self Adhesive
Type of adhesive	Vegetable Glue	Hotmelt
Thickness	150 micron + tolerance	150 micron + tolerance
Temperature	Effective in -20° C to 60° C	Effective in -20° C to 60° C
Type of paper	Laminated Kraft paper	Laminated Kraft paper
Properties		
Adhesive strength	Strong	Strong
Bio-degradable	Yes	Yes
Apply & tearing	Manual/ Automatic dispencer	Manual
Roll Details		
Size	24 to 100 mm	24 to 100 mm
Standard length	50 m	50 m
Colour		
Available shade	Brown	Brown

Application Area

TRINITY TAPES

Kraft Paper Self Adhesive Tape

Kraft paper tape is a self-adhesive tape made out of a flat back repulpable kraft paper strip with a strong adhesive coating at the back. It has a glass fiber filament yarn embedded between the layers that give it, its characteristic strength and resilience against tearing through the transition.

Performance	7G	8G
Type of adhesive	Hotmelt	Hotmelt
Thickness	105 micron	120/130 micron
Temperature	Effective in -20° C to 60° C	Effective in -20° C to 60° C
Type of paper	High strength Kraft paper	High strength Kraft paper
Properties		
Adhesive strength	Strong	Strong
Bio-degradable	Yes	Yes
Apply & tearing	Manually	Manually
Roll Details		
Size	24 to 100 mm	24 to 100 mm
Standard length	50 m	50 m
Printing & branding	Customization Available	Customization Available
Colour		
Available shade	Brown	Brown

Application Area